



THE IDEAL PARQUET FLOOR SOLUTION THAT CAN











## **CONTENTS**

STYLE

wide variety in colours and patterns



COMFORT



DISTINCTIVE

sturdy, dimensionally stable, and with a clever thickness ratio



#### **DUTCH CRAFTSMANSHIP**

high-quality product by Parketfabriek Lieverdink





## **STYLE**

Style-conscious living means an individual choice to create your own style in your living environment. Flooring forms an important aspect of this, and literally forms the basis for the styling of a room. The colour, the pattern, and the chosen finish play a great role in determining the atmosphere of a house.

A Q2 parquet floor will help you adapt the space to suit your personal wishes. Q2 offers inspiration in this regard with wide-ranging possibilities in terms of wood type, colour, and pattern.

Q2 offers a unique online tool in the way of the Parketnavigator (Parquet Navigator) with which you can choose the type of wood, colour, and installation pattern to design your own floor. It is even possible to create a digital version of the floor as it would appear in your own interior on the basis of a photograph. Take a look at www.parketnavigator.nl for further information. The Q2 dealer can assist you in making the best choice of flooring for the interior of your dreams.

# Q2 AND UNDERFLOOR HEATING: Increased comfort in the home thanks to cosy warmth Good heat transfer Energy savings thanks to reduced heating costs • Easy to install thanks to compact structure Afrormosia strip flooring 90 mm width



## COMFORT

Comfort is increasingly becoming the standard for the home experience. The Q2 parquet always has a pleasant feel, whatever the temperature. In cold conditions, underfloor heating ensures a cosy interior climate as the warmth comes from below. A room equipped with underfloor heating combined with parquet provides an ultimate sense of cosiness and comfort.

Q2 dual-layer parquet has been specially designed to optimize this home experience. Thanks to its unique composition and low height, when fully glued to the base floor Q2 provides excellent warmth transfer.

Underfloor heating distributes the warmth over a large surface area and leads to reduced dust rising than in the case of central heating. Consequently, parquet combined with underfloor heating results in a pleasant interior climate.

Due to its compact thickness, a Q2 parquet floor is suitable for use over underfloor heating installed later. This gives architects a certain amount of aesthetic freedom.

#### **GREAT VARIATION!**

Q2 is ideal for installing floors in all sorts of pat-





## **DISTINCTIVE!**

The unique dual-layer Q2 parquet distinguishes itself by its perfect stability, precise dimensionally stability, and a clever thickness ratio between the wear layer and the back layer.

Q2 is supplied as 'aged' or treated parquet, so it can be installed straight away. The parquet can also be supplied unfinished. The floor must then be sanded on site and treated with a protective finishing layer to complete the floor. Q2 parquet satisfies high quality requirements. The selection of the type of wood, optimum conditions during the production process, and the fact that the product is sold exclusively via professional dealers guarantee a topclass product. From tree to living room, everything has been thought of.

## A SUMMARY OF THE ADVANTAGES OF Q2:

- Minimum height
- Exceptional stability and fit
- Suitable for use with underfloor heating
- Wide variety of wood types
- No hollow sound thanks to fully bonding
- Dutch-made





Oak Prime stripflooring 140 mm width









## DUTCH CRAFTSMANSCHIP

FROM DOETINCHEM



Parketfabriek Lieverdink has already been producing high-quality parquet flooring in the rural town of Doetinchem for three generations. The parquet is produced with skill and craftsmanship and in line with the highest quality standards.

In this regard, A passion for the craft and technical innovation go hand in hand. This results in a durable natural product, satisfying modern requirements. It is a product of which we are proud.

### Parketfabriek Lieverdink

Logistiekweg 3, 7007 CJ Doetinchem, The Netherlands

T+31 (o)314 34 05 63 • info@lieverdink.nl • www.lieverdink.nl

